On-farm
Calf and Heifer
Rearing meetings
Rearing meetings
Mar 30 - Apr 9 (VIC)
Mar 30 - Apr 9 (VIC)
See advantagefeeders.com.au
workshops

2021 PRODUCT GUIDE



Finally, a simple way to control feed consumption and grow great replacements









the beauty and charles hills and the little and the anticolor and all the last

INTRODUCTION

Grow your replacements to express their genetic potential in fertility, milk production and herd longevity with less feed, less waste, less labour and fewer replacements

Ration control: the key ingredient for maximising production and profit

Most pastures can be complemented with a supplement to improve rumen function which leads to higher livestock production. The quantity of supplement in most applications is small and thus cost effective. This makes ration control crucial to realise the benefits of improved rumen function.

If rationing is only limited by animals tiring of licking, it offers minimal control, as they may not stop feeding. The Advantage Feeders 3-Way Restriction System is different to any other feeder on the market. We offer you control over the height, depth and width of the feed access area with the Upper Adjuster, Lower Adjuster and the Adjuster Guard.

When our 3-Way Restriction System is set in a limiting position, the animal's tongue can only touch a few grains or pellets with each lick. The animal accesses the feed using saliva to stick feed to its tongue and bring it into its mouth. After approximately five minutes of licking, the animal's tongue becomes dry and it can no longer access the feed.



Depending on the paddock environment, livestock come to the feeder 6-8 times/day. The numerous visits each day create a system of providing their supplement in little and often amounts.

Subject to the size of the animal, in a five-minute licking period, cattle may consume a cup, or 150 grams. A feeder that relies on an animal tiring of licking cannot offer such a strict ration.



MAXIMISE FEEDER USE

Calf rearing

- Less labour and no waste by eliminating trough feeding
- Constant supply of fresh feed encourages increased feed intake
- Higher intake develops more productive rumens and avoids calves having a setback at weaning

Heifer growing

- ✓ Advantage Feeders 3-Way Restriction System provides a simple method to control feed intake in little amounts at frequent intervals
- Controlled feeding maintains consistent growth rates to achieve desired target weights
- Less labour allows you to more easily achieve a rising plane of nutrition leading up to first joining
- Enhanced conception rates increases cow carrying capacity and overall milk production
- ✓ Produce well grown heifers that calve easier
- Growing heavier heifers at first-calving leads to more production in second and third lactations
- ✓ Meet target weights at joining to improve conception rates and, after calving, reduce days to first heat in the next lactation
- No waste compared to trough feeding

Lead feeding

- Advantage Feeders 3-Way Restriction System reduces the risk of ruminal acidosis by feeding high starch feeds in little amounts at frequent intervals
- ✓ Less labour compared to trough feeding
- Better supply of a transition diet reduces milk fever, lowers mortality rates and minimises lipid mobilisation disorders around calving
- Effectively address micromineral deficiencies including calcium, magnesium and phosphorus









MOBILE FEEDERS



M1000HD



Tow with any size vehicle
Adjustable height pull bar
Flotation tyres travel over soft ground

Weight: 265kg Feed volume: 1000 litres 770kg Feed weight – wheat/lupins: Feed weight – barley/pellets: 650kg Feed weight - oats: 520kg Cattle/calves (paddock): 40-50 Cattle/calves (feedlot): 30-35 Dimensions at sheep height: 3465x1200x1175 Dimensions at cattle height: 3465x1200x1325

Note: On-farm towing only

M1800HD



500kg Weight: Feed volume: 1800 litres Feed weight – wheat/lupins: Feed weight – barley/pellets: 1400kg 1150kg Feed weight – oats: 900kg Cattle/calves (paddock): 40-50 Cattle/calves (feedlot): 30-35 Dimensions cattle height: 3660x1650x1925 Flat-packed dimensions: 2440x1160x420 Filling height: 150mm < height

Note: On-farm towing only



Weight: 610kg Feed volume: 3800 litres Feed weight – wheat/lupins: 3000kg Feed weight - barley/pellets: 2400kg Feed weight – oats: 1900kg Cattle/calves (paddock): 40-50 Cattle/calves (feedlot): 30-35 3660x1650x2370 Dimensions cattle height: Flat-packed dimensions: 2440x1160x450 Filling height: 150mm < height

Note: On-farm towing only

GRAIN FEEDERS

150HD



Weight: 33kg
Feed Volume: 150 litres
Feed weight – wheat/lupins: 110kg
Feed weight – barley/pellets: 90kg
Feed weight – oats: 75kg
Cattle/calves (paddock): 6-10
Cattle/calves (feedlot): 5-8
Dimensions: 820x388x790

Note: Brackets come standard with the 150HD to hang the unit on gates, fences or steel posts.

800HD



Weight: 200kg 850 litres Feed volume: Feed weight – wheat/lupins: 600kg Feed weight – barley/pellets: 500kg Feed weight – oats: Cattle/calves (paddock): 425kg 20-25 Cattle/calves (feedlot): 15-20 Dimensions cattle height: 1200x1650x1635 Dimensions ext. cattle height: 1200x1650x1835 Flat-packed dimensions: 1200x1160x230 Filling height: 150mm < height

1800HD



Weiaht: 350kg 1800 litres Feed volume: Feed weight – wheat/lupins: Feed weight – barley/pellets: 1400kg 1150kg Feed weight – oats: 900kg Cattle/calves (paddock): 40-50 30-35 Cattle/calves (feedlot): 2440x1650x1435 Dimensions sheep height: 2440x1650x1635 Dimensions cattle height: 2440x1650x1835 Dimensions ext. cattle height: 2440x1160x280 Flat-packed dimensions: Filling height: 150mm < height

3800HD



430kg Weight: 3800 litres Feed volume: 3000kg Feed weight – wheat/lupins: Feed weight – barley/pellets: 2400kg Feed weight – oats: Cattle/calves (paddock): Cattle/calves (feedlot): 1900kg 40-50 30-35 Dimensions cattle height: 2440x1650x2370 2440x1650x2570 Dimensions ext. cattle height: 2440x1160x310 Flat-packed dimensions: Filling height: 150mm < height

Measurements are length x width x height (mm)

HAY FEEDERS

TRAY HAY FEEDER



Weight: 200kg 1x 4'x6' round bale Bale capacity: Gap between bars: 300mm Cattle/calves (paddock): 30 Cattle/calves (feedlot): 20 Dimensions - highest: 2000x1400x1700 Dimensions - lowest: 2000x1400x1200 Flat-packed dimensions: 2000x1160x200

Note: Standard bar spacing not suitable for bulls. Additional bar kits available to reduce bar width to 135mm.

TRAY HAY FEEDER EXTENDED



Weight: 310kg Bale capacity: 2x 4'x6' round bales 1x 8'x4'x4' square bale 300mm Gap between bars: Cattle/calves (paddock): 50 Cattle/calves (feedlot): 35 Dimensions - highest: 2000x2700x1700 Dimensions - lowest: 2000x2700x1200 Flat-packed dimensions: 2000x1160x350

Note: Standard bar spacing not suitable for bulls. Additional bar kits available to reduce bar width to 135mm.

SLIDING GATES HAY FEEDER



Weight: 220kg
Bale capacity: 1x 8'x4'x4'square bale
1x 4'x5' round bale
2x 4'x4' round bales

Gap between bars: 180-400mm
Cattle/calves (paddock): 50
Cattle/calves (feedlot): 35
Assembled dimensions: 2650x1400x1800
Flat-packed dimensions: 2650x1160x230

Note: Additional bar kits are available to reduce the bar width for small animals to 80mm. Internal length is 2550mm for overlength bales.

HAY FEEDER ROOF



Weight: 33kg
Assembled dimensions: 900x1400x220
Flat-packed dimensions: 1400x700x30

Note: When using large diameter bales, a gap may initially exist between the two roof sections until some of the bale is consumed.

ACCESSORIES

MINERAL ATTACHMENT



In shed feeding without waste

Weight: 12kg
Feed volume: 85 litres
Feed weight – minerals: 110kg
Feed weight – pellets: 50kg
Dimensions: 760x400x550

Note: Brackets come standard with the Mineral Attachment to hang the unit on gates, fences or steel posts.

RUBBER MATS



Prevent pugging around your feeders

Weight: 50kg Assembled dimensions: 3000x1100x5 Flat-packed dimensions: 1100x300x300

Note: Rubber Mats are sold as a pair. The material is repurposed.

Measurements are length x width x height (mm)



PRICES

DDODLICT	CODE	EL AT DACKED	ACCEMBLED
PRODUCT	CODE	FLAT PACKED	ASSEMBLED
HEAVY DUTY 5500	5500HD	\$3640 +GST	\$3900 +GST
HEAVY DUTY 3800	3800HD	\$2815 +GST	\$3000 +GST
HEAVY DUTY 1800	1800HD	\$2485 +GST	\$2650 +GST
HEAVY DUTY 800	800HD	\$1535 +GST	\$1650 +GST
HEAVY DUTY 150	150HD	\$685 +GST	\$700 +GST
MOBILE HEAVY DUTY 3800	M3800HD	\$4690 +GST	\$5000 +GST
MOBILE HEAVY DUTY 1800	M1800HD	\$3940 +GST	\$4200 +GST
MOBILE HEAVY DUTY 1000	M1000HD	\$2515 +GST	\$2700 +GST
SLIDING GATE HAY FEEDER	SGHF	\$1585 +GST	\$1650 +GST
TRAY HAY FEEDER	THF	\$1330 +GST	\$1400 +GST
TRAY HAY FEEDER EXTENDED	THF-X	\$2170 +GST	\$2300 +GST
CRADLE HAY FEEDER	CHF	\$865 +GST	\$900 +GST
CRADLE HAY FEEDER EXTENDED	CHF-X	\$1430 +GST	\$1500 +GST
HAY FEEDER ROOF	HFR	\$325 +GST	\$350 +GST
MINERAL ATTACHMENT	MA	\$335 +GST	\$350 +GST
PIVOT TRAILER	PT	\$2695 +GST	\$2800 +GST
BLOWER ATTACHMENT*	ВА	\$230 +GST	\$250 +GST
RUBBER MATS (PAIR)	RM	n/a	\$220 +GST
AIR RIVET TOOL*	AIR-T	n/a	\$75 +GST
FOOD DYE (QTY. 5)	BFD	n/a	\$50 +GST

LOYALTY PROGRAM

We reward our loyal customer by offering retrospective discounts when you reach a certain number of products.**

FIVE YEAR WARRANTY

Get the most from your asset. Extend your two year warranty to five years by completing the extended warranty form.**

FREE FREIGHT

Prices include free freight to all distributors. Additional freight to other locations can be arranged at local cartage charges.

DISTRIBUTION LOCATIONS

NEW SOUTH WALES

Armidale Bombala Bourke Casino Coonabarabran Moree Deniliquin **Dorrigo** Dubbo **Forbes** Glen Innes Goulburn Griffith

Gulgong Gunnedah Inverell Maitland Narrabri Orange

Scone Tamworth Taree Temora Wagga Wagga

QUEENSLAND

Charters Towers Emerald Gayndah Goondiwindi Mackay Miles Mundubbera Oakey Rockhampton Roma St George Tara Warwick

SOUTH AUSTRALIA

Bordertown Cummins Curramulka Kangaroo Island Loxton Minnipa Murray Bridge Naracoorte Snowtown Truro

TASMANIA

Brighton Westbury

VICTORIA

Ballarat Brim/Horsham Goornong Hamilton Leongatha Maffra Maryborough Mildura Romsey Rutherglen

Shepparton St Arnaud Stawell Swan Hill Timboon Winchelsea

WESTERN AUSTRALIA

Geraldton Katanning Mt Barker **New Norcia Northam** Pingelly







^{*} Product not featured in this brochure but available to view on our website.

^{**}See www.advantagefeeders.com.au for the full terms and conditions.