

**On-farm
Calf and Heifer
Rearing meetings
Mar 30 - Apr 9 (VIC)**
See [advantagefeeders.com.au/
workshops](http://advantagefeeders.com.au/workshops)

2021 PRODUCT GUIDE

**NEW
SPECIFICALLY
DESIGNED
DAIRY FARM
FEEDER**



Finally, a simple way to control feed consumption and grow great replacements



**ADVANTAGE
FEEDERS**

INTRODUCTION

Grow your replacements to express their genetic potential in fertility, milk production and herd longevity with less feed, less waste, less labour and fewer replacements

Ration control: the key ingredient for maximising production and profit

Most pastures can be complemented with a supplement to improve rumen function which leads to higher livestock production. The quantity of supplement in most applications is small and thus cost effective. This makes ration control crucial to realise the benefits of improved rumen function.

If rationing is only limited by animals tiring of licking, it offers minimal control, as they may not stop feeding. The Advantage Feeders 3-Way Restriction System is different to any other feeder on the market. We offer you control over the height, depth and width of the feed access area with the Upper Adjuster, Lower Adjuster and the Adjuster Guard.

When our 3-Way Restriction System is set in a limiting position, the animal's tongue can only touch a few grains or pellets with each lick. The animal accesses the feed using saliva to stick feed to its tongue and bring it into its mouth. After approximately five minutes of licking, the animal's tongue becomes dry and it can no longer access the feed.



Depending on the paddock environment, livestock come to the feeder 6-8 times/day. The numerous visits each day create a system of providing their supplement in little and often amounts.

Subject to the size of the animal, in a five-minute licking period, cattle may consume a cup, or 150 grams. A feeder that relies on an animal tiring of licking cannot offer such a strict ration.



“All feeds flow: pellets, cracked grain mixes and grain ration”



MAXIMISE FEEDER USE

Calf rearing

- ✓ Less labour and no waste by eliminating trough feeding
- ✓ Constant supply of fresh feed encourages increased feed intake
- ✓ Higher intake develops more productive rumens and avoids calves having a setback at weaning

Heifer growing

- ✓ Advantage Feeders 3-Way Restriction System provides a simple method to control feed intake in little amounts at frequent intervals
- ✓ Controlled feeding maintains consistent growth rates to achieve desired target weights
- ✓ Less labour allows you to more easily achieve a rising plane of nutrition leading up to first joining
- ✓ Enhanced conception rates increases cow carrying capacity and overall milk production
- ✓ Produce well grown heifers that calve easier
- ✓ Growing heavier heifers at first-calving leads to more production in second and third lactations
- ✓ Meet target weights at joining to improve conception rates and, after calving, reduce days to first heat in the next lactation
- ✓ No waste compared to trough feeding

Lead feeding

- ✓ Advantage Feeders 3-Way Restriction System reduces the risk of ruminal acidosis by feeding high starch feeds in little amounts at frequent intervals
- ✓ Less labour compared to trough feeding
- ✓ Better supply of a transition diet reduces milk fever, lowers mortality rates and minimises lipid mobilisation disorders around calving
- ✓ Effectively address micromineral deficiencies including calcium, magnesium and phosphorus



MOBILE FEEDERS



M1000HD



- Tow with any size vehicle
- Adjustable height pull bar
- Flotation tyres travel over soft ground

Weight:	265kg
Feed volume:	1000 litres
Feed weight – wheat/lupins:	770kg
Feed weight – barley/pellets:	650kg
Feed weight – oats:	520kg
Cattle/calves (paddock):	40-50
Cattle/calves (feedlot):	30-35
Dimensions at sheep height:	3465x1200x1175
Dimensions at cattle height:	3465x1200x1325

Note: On-farm towing only

M1800HD



Weight:	500kg
Feed volume:	1800 litres
Feed weight – wheat/lupins:	1400kg
Feed weight – barley/pellets:	1150kg
Feed weight – oats:	900kg
Cattle/calves (paddock):	40-50
Cattle/calves (feedlot):	30-35
Dimensions cattle height:	3660x1650x1925
Flat-packed dimensions:	2440x1160x420
Filling height:	150mm < height

Note: On-farm towing only

M3800HD



Weight:	610kg
Feed volume:	3800 litres
Feed weight – wheat/lupins:	3000kg
Feed weight – barley/pellets:	2400kg
Feed weight – oats:	1900kg
Cattle/calves (paddock):	40-50
Cattle/calves (feedlot):	30-35
Dimensions cattle height:	3660x1650x2370
Flat-packed dimensions:	2440x1160x450
Filling height:	150mm < height

Note: On-farm towing only

Measurements are length x width x height (mm)

GRAIN FEEDERS

150HD



Weight:	33kg
Feed Volume:	150 litres
Feed weight – wheat/lupins:	110kg
Feed weight – barley/pellets:	90kg
Feed weight – oats:	75kg
Cattle/calves (paddock):	6-10
Cattle/calves (feedlot):	5-8
Dimensions:	820x388x790

Note: Brackets come standard with the 150HD to hang the unit on gates, fences or steel posts.

800HD



Weight:	200kg
Feed volume:	850 litres
Feed weight – wheat/lupins:	600kg
Feed weight – barley/pellets:	500kg
Feed weight – oats:	425kg
Cattle/calves (paddock):	20-25
Cattle/calves (feedlot):	15-20
Dimensions cattle height:	1200x1650x1635
Dimensions ext. cattle height:	1200x1650x1835
Flat-packed dimensions:	1200x1160x230
Filling height:	150mm < height

1800HD



Weight:	350kg
Feed volume:	1800 litres
Feed weight – wheat/lupins:	1400kg
Feed weight – barley/pellets:	1150kg
Feed weight – oats:	900kg
Cattle/calves (paddock):	40-50
Cattle/calves (feedlot):	30-35
Dimensions sheep height:	2440x1650x1435
Dimensions cattle height:	2440x1650x1635
Dimensions ext. cattle height:	2440x1650x1835
Flat-packed dimensions:	2440x1160x280
Filling height:	150mm < height

3800HD



Weight:	430kg
Feed volume:	3800 litres
Feed weight – wheat/lupins:	3000kg
Feed weight – barley/pellets:	2400kg
Feed weight – oats:	1900kg
Cattle/calves (paddock):	40-50
Cattle/calves (feedlot):	30-35
Dimensions cattle height:	2440x1650x2370
Dimensions ext. cattle height:	2440x1650x2570
Flat-packed dimensions:	2440x1160x310
Filling height:	150mm < height

Measurements are length x width x height (mm)

HAY FEEDERS

TRAY HAY FEEDER



Weight:	200kg
Bale capacity:	1x 4'x6' round bale
Gap between bars:	300mm
Cattle/calves (paddock):	30
Cattle/calves (feedlot):	20
Dimensions - highest:	2000x1400x1700
Dimensions - lowest:	2000x1400x1200
Flat-packed dimensions:	2000x1160x200

Note: Standard bar spacing not suitable for bulls. Additional bar kits available to reduce bar width to 135mm.

TRAY HAY FEEDER EXTENDED



Weight:	310kg
Bale capacity:	2x 4'x6' round bales 1x 8'x4'x4' square bale
Gap between bars:	300mm
Cattle/calves (paddock):	50
Cattle/calves (feedlot):	35
Dimensions - highest:	2000x2700x1700
Dimensions - lowest:	2000x2700x1200
Flat-packed dimensions:	2000x1160x350

Note: Standard bar spacing not suitable for bulls. Additional bar kits available to reduce bar width to 135mm.

SLIDING GATES HAY FEEDER



Weight:	220kg
Bale capacity:	1x 8'x4'x4'square bale 1x 4'x5' round bale 2x 4'x4' round bales
Gap between bars:	180-400mm
Cattle/calves (paddock):	50
Cattle/calves (feedlot):	35
Assembled dimensions:	2650x1400x1800
Flat-packed dimensions:	2650x1160x230

Note: Additional bar kits are available to reduce the bar width for small animals to 80mm. Internal length is 2550mm for over-length bales.

HAY FEEDER ROOF



Weight:	33kg
Assembled dimensions:	900x1400x220
Flat-packed dimensions:	1400x700x30

Note: When using large diameter bales, a gap may initially exist between the two roof sections until some of the bale is consumed.

ACCESSORIES

MINERAL ATTACHMENT



In shed feeding without waste

Weight:	12kg
Feed volume:	85 litres
Feed weight – minerals:	110kg
Feed weight – pellets:	50kg
Dimensions:	760x400x550

Note: Brackets come standard with the Mineral Attachment to hang the unit on gates, fences or steel posts.

RUBBER MATS



Prevent pugging around your feeders

Weight:	50kg
Assembled dimensions:	3000x1100x5
Flat-packed dimensions:	1100x300x300

Note: Rubber Mats are sold as a pair. The material is repurposed.

Measurements are length x width x height (mm)



LOYALTY PROGRAM

We reward our loyal customer by offering retrospective discounts when you reach a certain number of products.**

FIVE YEAR WARRANTY

Get the most from your asset. Extend your two year warranty to five years by completing the extended warranty form.**

FREE FREIGHT

Prices include free freight to all distributors. Additional freight to other locations can be arranged at local cartage charges.

Distribution Locations

NSW

Armidale
Bombala
Bourke
Casino
Deniliquin
Dubbo
Glen Innes
Goulburn
Griffith
Gunnedah
Kempsey
Maitland

Orange
Taree
Temora
Wagga

WA

Busselton
Geraldton
Katanning
Mt Barker
New Norcia
Northam

VIC

Ballarat
Brim
Goornong
Hamilton
Leongatha
Maffra
Maryborough
Mildura
Romsey
Rutherglen
Shepparton
St Arnaud

Stawell
Swan Hill
Timboon
Winchelsea

TAS

Brighton
Westbury

QLD

Charters Towers
Emerald
Gayndah
Goondiwindi
Mackay
Miles
Rockhampton
Roma
St George
Toowoomba
Warwick

SA

Bordertown
Cummins
Kangaroo Island
Loxton
Minnipa
Murray Bridge
Naracoorte
Snowtown
Truro

* Product not featured in this brochure but available to view on our website.

**See www.advantagefeeders.com.au for the full terms and conditions.